



FLIR DM93 true RMS industrial multimeter

The new FLIR DM93 is a world-class digital multimeter with advanced VFD filtering to help you accurately analyze non-traditional sine waves and noisy signals found in VFD-controlled equipment.

- VFD mode filters variable frequency drive signals and provides accurate voltage and frequency measurements during maintenance and troubleshooting
- LoZ mode eliminates ghost voltage readings associated with long-run applications
- Powerful worklights eliminate the need for a flashlight while performing tests in dim lighting
- Data record feature captures electrical measurements and provides wireless data transfer
- Integrated Bluetooth technology* connects the FLIR DM93 to the FLIR Tools Mobile app on your compatible mobile device.
- METERLiNK® technology wirelessly integrates electrical readings on your infrared image with METERLiNK-enabled FLIR thermal cameras

Features:

- Voltage and current, bright white LED backlight, analog bargraph, auto AC/DC voltage, min, max, average recording, auto power off, hold, relative, peak hold, store, recall

Includes:

- 6 AAA batteries, user manual/CD, CAT IV silicone test leads, type K temperature probe (400°F, 204°C), magnetic hanging strap and limited lifetime warranty



TECHNICAL SUMMARY	MAX RANGE	BASIC ACCURACY
DC voltage	1000.0V	±0.05%
AC voltage	1000.0V	±0.5%
VFD voltage	1000.0V	±0.5%
DC current	10.000A	±0.2%
AC current	10.000A	±1.0%
Resistance	40.00MΩ	±0.2%
Continuity threshold	30Ω	±0.2%
Frequency	100.00kHz	±5 Digits
Capacitance	40.00mF	±0.9%
Temperature	-328 to 2192°F, -200 to 1200°C	±1.0%
Diode test	2V	±1.5%

* See www.flir.com for latest compatibility information and more warranty details

GENERAL INFORMATION	
Bluetooth range max	32 ft (10 m)
Display counts	40,000
Category rating	CAT IV-600V, CAT III-1000V
Data recording	20,000 Pts (125 days max)
Warranty	Limited Lifetime*

Ordering Information

DM93 True RMS industrial multimeter with VFD mode
 DM93-NIST...DM93 with certificate of traceability to NIST
 TA80..... CAT IV silicon test leads



FLIR Systems France
 20, bd de Beaubourg
 77183 Croissy-Beaubourg
 France
 Tel. : +33 (0)1 60 37 55 02
 E-mail : flir@flir.com

Distributed by:



testoon.com
 The measurement website

99, rue Beranger
 92320 Chatillon - France
 Tel : +33 (0)1 71 16 17 00
 Fax : +33 (0)1 71 16 17 03
www.testoon.com