

SAFETY DATA SHEET

SDS0098UK

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 & 2015/830

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 **Product identifier**

> **Product Name** Solo Smoke Detector Tester.

Trade Name Solo A10 –XXX, Solo A10^s-XXX (XXX denotes customer variant).

CAS No. Mixture. EINECS No. Mixture.

REACH Registration No. None assigned. 7GJP-H2TR-6005-G991

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Smoke simulation. Uses Advised Against None known.

1.3 Only representative

Company Identification Shift-Consult Hubert Scherzinger, 79108 Freiburg, Germany

Telephone +49 7665 81 21 74

Details of the supplier of the safety data sheet

Company Identification Detectortesters (No Climb Products Ltd), Edison House, 163 Dixons Hill Road

Welham Green, Hertfordshire AL9 7JE, United Kingdom

Telephone +44 (0) 1707 282760 +44 (0) 1707 282777 Fax E-Mail (competent person) SDS@detectortesters.com

1.4 **Emergency telephone number**

> Emergency Phone No. +44 (0) 1707 282760

Mon-Thur (8:30-17:00), Fri (8:30-15:00)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

> Regulation (EC) No. 1272/2008 (CLP) Aerosol 3; Pressurised container: May burst if heated.

2.2 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Hazard Pictogram(s)



Signal Word(s) Warning.

Hazard Statement(s) H229: Pressurised container: May burst if heated.

Precautionary Statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking...

P251: Pressurised container - Do not pierce or burn, even after use.

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C.

2.3 Additional Information 9.1% by mass of the contents are flammable:

Keep out of reach of children.

2.4 Other hazards High concentrations: May cause drowsiness and dizziness.

Revision:5 Page: 1/6 Date: 19 November 2021



SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Product as supplied: Aerosol.

3.2 Mixtures

EC Classification No. 1272/2008

| Hazardous Ingredient(s) | %W/W | CAS No. | EC No. | REACH | Hazard Pictogram(s) and |
|------------------------------------|-------|------------|-----------|------------------|----------------------------|
| | | | | Registration No. | Hazard Statement(s) |
| (1E)-1,3,3,3-tetrafluoro-1-propene | 85-95 | 29118-24-9 | 471-480-0 | None assigned. | GHS04, Press. Gas: H280 |
| Ethanol | 1-10 | 64-17-5 | 200-578-6 | None assigned. | GHS02, Flam. Liq. 2; H225, |

3.3 Additional Information

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, obtain medical attention.

Skin Contact Wash skin with soap and water.

Eye Contact Flush eyes with water for at least 15 minutes while holding eyelids open. If eye irritation persists, get

medical advice/attention.

Ingestion Unlikely route of exposure.

4.2 Most important symptoms and effects, both acute and delayed None anticipated.

4.3 Indication of any immediate medical attention and special Unlikely to be required but if necessary treat symptomatically.

treatment needed

SECTION 5: FIREFIGHTING MEASURES

Pressurised container: May burst if heated.

5.1 Extinguishing media

Suitable Extinguishing media Extinguish with carbon dioxide, dry chemical, foam or waterspray. Unsuitable extinguishing media None known.

5.2 Special hazards arising from the

substance or mixture

Heating may cause pressure rise with risk of bursting. May decompose in a fire giving off toxic

fumes.: Hydrogen fluoride.

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained breathing

apparatus. If it is safe to do so, containers should be removed from fire area because they are

likely to rupture under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

The product is an aerosol. It is unlikely to present spillage or leakage hazard. In case of rupture, released content should be contained as any other solvent spill.

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid inhalation of high concentrations of vapours.

6.2 Environmental precautions

6.3 Methods and material for containment and cleaning up

Do not release large quantities into the surface water or into drains.

Collect mechanically and dispose of according to Section 13. Adsorb spillages onto

sand, earth or any suitable adsorbent material. Containers must not be punctured or destroyed by burning, even when empty.

6.4 Reference to other sections See Also Section: 8, 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

7.1

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not pierce or burn, even after use.

Revision:5 Page: 2/6 Date: 19 November 2021



Conditions for safe storage, including any incompatibilities

Ambient. Protect from sunlight. Do not expose to temperatures exceeding 50°C. Storage temperature

Stable under normal conditions. Storage life

Incompatible materials None known 7.3 Specific end use(s) Smoke simulation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 **Occupational Exposure Limits**

| SUBSTANCE. | CAS No. | LTEL (8 hr | LTEL (8 hr | STEL | STEL | Note |
|--------------|---------|------------|------------|-------|---------|---|
| | | TWA ppm) | TWA mg/m³) | (ppm) | (mg/m³) | |
| Ethanol | 64-17-5 | 1000 | 1920 | - | - | WEL: Workplace Exposure Limit (UK HSE EH40) |
| Propane-1,2- | 57-55-6 | | 10 | - | - | WEL: Workplace Exposure Limit (UK HSE EH40) |
| Diol | | | | | | |

Biological limit value Not established. 8.1.2 8.1.3 **PNECs and DNELs** Not established

8.2 **Exposure controls**

8.2.2

8.2.1 Appropriate engineering controls

Personal protection equipment

Provide adequate ventilation.

Eye/ face protection If eye contact is likely: Wear protective eyewear (goggles, face shield, or safety glasses).

Skin protection (Hand protection/ Other) Wear suitable gloves if prolonged skin contact is likely. Gloves: Nitrile rubber, NBR.

Respiratory protection No personal respiratory protective equipment normally required. Handling of larger

amounts: In case of insufficient ventilation, wear suitable respiratory equipment. A suitable

mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards Not applicable.

8.2.3 **Environmental Exposure Controls** Avoid release to the environment.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

> Appearance Aerosol. Colour. Colourless. Characteristic. Odour Odour Threshold (ppm) Not determined. Not determined. pH (Value)

> Melting Point (°C) / Freezing Point (°C) Not determined. Initial boiling point and boiling range -19°C. >55°C. Flash Point (°C)

Evaporation rate Not applicable.

Flammability (solid, gas) Non-flammable; tested to 2008/47/EC Annex 1.9.1(iii)

Upper/lower flammability or explosive limits Not determined. Vapour pressure 4192hPa @ 20°C Vapour density Not determined Relative density Not determined. Density 1.08g/cm³

Revision:5 Page: 3/6 Date: 19 November 2021



Solubility(ies) Immiscible or partly miscible with water.

Partition Coefficient (n-Octanol/water)

Not determined.

Auto Ignition Point (°C) Product is not selfigniting.

Ignition temperature 368°C

Decomposition Temperature (°C)

Dynamic viscosity

Kinematic Viscosity

Explosive properties

Oxidising properties

Not determined.

Not explosive.

Not explosive.

Not oxidising.

9.2 Other information

Organic solvents - Content 9.9%

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Stable under normal conditions.
 10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid Heat and direct sunlight.
 10.5 Incompatible materials None anticipated.

10.6 Hazardous decomposition product(s) No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

11.1.1 Mixtures

Acute toxicityLow acute toxicity.IrritationNon-irritant.CorrosivityNot classified.

Sensitisation It is not a skin sensitiser. **Repeated dose toxicity** None anticipated.

Carcinogenicity No evidence of carcinogenicity.

Mutagenicity There is no evidence of mutagenic potential.

Reproductive toxicity None anticipated.

11.2 Other information None.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

 Low toxicity to aquatic organisms.

 12.2 Persistence and degradability

 No information available.

 12.3 Bioaccumulative potential

 No information available
 No information available.

 12.5 Results of PBT and vPvB assessment

 Not classified as PBT or vPvB.

2.6 Other adverse effects None.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Recycle only completely emptied packaging. Containers must not be punctured or destroyed by

burning, even when empty. Non-emptied aerosol: Dispose of wastes in an approved waste disposal

facility. Do NOT landfill.

13.2 Additional Information Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR, IMDG, IATA UN 1950.

14.2 UN proper shipping name

ADR 1950 AEROSOLS IMDG AEROSOLS

Revision:5 Page: 4/6 Date: 19 November 2021



IATA AEROSOLS, Non-flammable.

14.3 Transport hazard class(es)

ADR

Class / Classification 2 5A Gases.

Label 2.2 IMDG, IATA Class / Division 2.2 Label 2.2

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards

Marine Pollutant None.

14.6 Special precautions for user Warning: Gases

Kemler Code IMDG EMS

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

14.8 Additional Information

ADR

Limited Quantity (LQ)

None.

F-D, S-U

Not applicable.

1L

1L



ADR Transport Category

Tunnel Restriction Code Not applicable in Limited Quantities.


IMDG

Limited Quantity (LQ)



IATA

Limited Quantity (LQ)



AEROSOLS UN Model Regulation

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 **EU** regulations

Authorisations and/or Restrictions On Use Not listed. Candidate List of Substances of Very High Concern for Authorisation Not listed.

REACH: ANNEX XVII restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles

Not listed.

Revision:5 Page: 5/6 Date: 19 November 2021



WGK class 1

REACH: ANNEX XIV list of substances subject to authorisation Community Rolling Action Plan (CoRAP)

Not listed. None known.

15.1.2 National regulations

Wassergefährdungsklasse (Germany)

Technical Instructions (air)

 Class
 Share in %

 NK
 5 - <10</td>

 VOC-CH
 9.49%

 VOC-EU
 102.5g/l

 Danish MAL Code
 0-1

15.2 Chemical Safety Assessment Not available.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1,3.

LEGEND

LTEL Long Term Exposure Limit
STEL Short Term Exposure Limit
DNEL Derived No Effect Level

PNEC Predicted No Effect Concentration
PBT Persistent, Bioaccumulative and Toxic
PVB very Persistent and very Bioaccumulative

VOC Volatile Organic Compounds

MAL Code Regulation for the labeling concerning inhalation hazards, Denmark

ADR European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG International Maritime Code for Dangerous Goods

IATA International Air Transport Association

Aerosol 3 Aerosol Category 3

Flam. Liq. 2 Flammable Liquid Category 2

Hazard Statement(s)

H225 Highly flammable liquid and vapour.H229 Pressurised container: May burst if heated.

H280 Contains gas under pressure; may explode if heated.

H335 May cause respiratory irritation.

Disclaimers

The information is based on the best knowledge of No Climb Products Ltd. and its advisors and is given in good faith, but we cannot guarantee its accuracy, reliability or completeness and therefore disclaim any liability for loss or damage arising out of use of this data. Since conditions of use are outside the control of the Company and its advisors we disclaim any liability for loss or damage when the product is used for purposes other than it is intended.

Annex to the extended Safety Data Sheet (eSDS)

No information available.

Revision:5 Page: 6/6 Date: 19 November 2021